




Edge Metal Systems

Built for Precision, Speed, and Trust



Lock in Strength with Fascia VE Delivered on Time and on Budget


MetalWyze Fascia VE is engineered for dependable, high-performance wind protection while being cost-effective. The system includes a continuous pre-punched galvanized steel cleat, concealed splice plate, and a snap-on fascia cover for quick, efficient assembly.

Available in aluminum or steel with Kynar 500 finishes, Fascia VE delivers consistent quality and reliable field performance. The MetalWyze process also allows full profile customization without added lead time, helping projects stay on schedule and on budget.

Cover Material	Cleat Material	Face Size	ES-1 Certified Pressure
.040" Aluminum	22ga G-90	3" to 8"	-240 PSF
24ga Galvalume	22ga G-90	3" to 8"	-240 PSF
.040" Aluminum	20ga G-90	8" to 12"	-100 PSF

Benefits & Quality Assurance

- Cost-Effective Edge Protection
- Clean, Concealed Design
- 200+ MPH Windspeed Warranty
- Fast, Simple Installation
- Quick Ship Status
- Customizable Sizes



Strength & Durability in One System

MetalWyze Fascia PRO is a high-performance edge metal system engineered for dependable wind protection and cost-effective installation. It features a continuous pre-punched .050" aluminum cleat, concealed splice plate, and a snap-on fascia cover.

Built in aluminum with Kynar 500 finishes, Fascia PRO delivers consistent quality, corrosion resistance, and reliable field performance. The MetalWyze process also allows custom profile sizes without extending lead times.

Cover Material	Cleat Material	Face Size	ES-1 Certified Pressure
.040" Aluminum	.050" Aluminum	up to 8"	-250 PSF
24ga Galvalume	.050" Aluminum	up to 8"	-250 PSF

Benefits & Quality Assurance

- Corrosion Resistant Substrates
- Clean, Concealed Design
- 200+ MPH Windspeed Warranty
- Fast, Simple Installation
- Quick Ship Status
- Customizable Sizes



Durable, Customizable Fascia Solutions


MetalWyzze Fascia HP delivers top performance and dependable protection against high winds in a cost-effective assembly. It includes a pre-punched .080" aluminum cleat, concealed splice plate, and snap-on fascia cover for easy installation.

Made from aluminum with Kynar 500® finishes, Fascia HP ensures corrosion resistance and reliable field performance. Custom profile sizes are available without affecting lead times, keeping projects on budget and on schedule.

Cover Material	Cleat Material	Face Size	ES-1 Certified Pressure
.040" Aluminum	.080" Aluminum	up to 8"	-250 PSF
24ga Galvalume	.050" Aluminum	up to 8"	-250 PSF

Benefits & Quality Assurance

- Corrosion Resistant Substrates
- Clean, Concealed Design
- 200+ MPH Windspeed Warranty
- Fast, Simple Installation
- Quick Ship Status
- Customizable Sizes



Snap VE: Concealed, Durable, Economical


MetalWYZe Snap VE allows for a concealed fastener installation without the need for secondary spring clips. It's ideal for oversized copings on large parapet walls.

The unique design provides reliable, warrantable performance while offering an economical solution to complete parapet cladding efficiently.

Cover Material	Cleat Material	Dimensions	ES-1 Certified Pressure
.040" Aluminum	20ga G-90	Face Size: up to 8" Parapet Size: up to 32"	Contact for info
24ga Galvalume	20ga G-90	Face Size: up to 8" Parapet Size: up to 32"	Contact for info

Benefits & Quality Assurance

- Clean, Concealed Design
- Low Sag Technology
- Segmented Anchor Cleats
- 120+ MPH Windspeed Warranty
- Quick Ship Status
- Customizable Sizes



Canted Cleat Coping: Durable, Watertight Parapet Protection

Our Canted VE offers an economical, high-performance solution for membrane terminations over parapet walls. The continuous 22ga G-90 canted cleat secures the membrane and pitches the coping back toward the roof, preventing water from running over the facade.

The coping is anchored with an exposed fastener and neoprene washer, creating a watertight seal. This dual fastening approach delivers dependable performance and long-lasting protection for your project.

Cover Material	Cleat Material	Dimensions	ES-1 Certified Pressure
24ga Galvalume	20ga G-90	Face Size: up to 8" Parapet Size: up to 16"	Contact for info
.040" Aluminum	20ga G-90	Face Size: up to 8" Parapet Size: up to 16"	Contact for info

Benefits & Quality Assurance

- Continuous Canted Cleat
- Pitched Coping Top
- 200+ MPH Windspeed Warranty
- Quick Ship Status
- Customizable Sizes



Flat Continuous Cleat Coping: High-Performance, Cost-Effective


Our Flat Continuous Cleat Coping offers an economical, high-performing solution for membrane terminations over sloped parapet walls. The continuous 22ga G-90 cleat secures the membrane and acts as a front cleat without requiring the top of the coping to pitch back.

Anchored with exposed fasteners and neoprene washers, the coping ensures watertight protection. This dual fastening system delivers reliable performance and long-lasting durability for your project.

Cover Material	Cleat Material	Dimensions	ES-1 Certified Pressure
24ga Galvalume	20ga G-90	Face Size: up to 6" Parapet Size: up to 16"	-165 PSF
.040" Aluminum	20ga G-90	Face Size: up to 6" Parapet Size: up to 16"	-150 PSF

Benefits & Quality Assurance

- Continuous Cleat
- Flat Top Design
- 200+ MPH Windspeed Warranty
- Quick Ship Status
- Customizable Sizes



High-Performance Spring Cleat Coping

MetalWYZe Spring PRO is engineered for a concealed fastener installation, using a secondary stainless steel spring cleat that delivers superior performance and a secure lock. This design ensures reliable, long-lasting protection while maintaining a clean, streamlined appearance.

Our advanced perforated fabrication process allows up to 16 cleats to be manufactured at once, reducing lead times and increasing efficiency. Coping is available in customizable lengths to minimize waste, reduce seams, and enhance the overall aesthetic of your project.

Cover Material	Cleat Material	Dimensions	ES-1 Certified Pressure
.040" Aluminum	20ga Anchor Cleats	Face Size: up to 8" Parapet Size: up to 16"	-120 PSF

Benefits & Quality Assurance

- Continuous Canted Cleat
- Pitched Coping Top
- 200+ MPH Windspeed Warranty
- Quick Ship Status
- Customizable Sizes



Snap HP Coping: High-Performance Concealed Fastener Solution

MetalWyze Snap HP Coping is a high-performance, concealed fastener coping system with a dual continuous cleat design. Front and back cleats, manufactured from 22ga G-90 galvanized steel, allow for easy adjustment across varying parapet widths while maintaining consistent face and rear dimensions.

This standardized approach reduces production variables and improves lead times. The design minimizes material waste by eliminating the need to cover wide parapets, helping control costs. Customizable lengths reduce seaming and waste while delivering a clean, professional finished appearance.

Cover Material	Cleat Material	Dimensions	ES-1 Certified Pressure
.040" Aluminum	22ga G-90	Face Size: up to 5.5" Parapet Size: up to 13"	-220 PSF
24ga Galvalume	22ga G-90	Face Size: up to 5.5" Parapet Size: up to 13"	-220 PSF

Benefits & Quality Assurance

- Innovative Design
- Continuous Cleat
- Multiple Material & Finish Options
- Quick Ship Status
- Customizable Sizes



Flexible, Cost-Effective Flat Roof Termination

The MetalWyze Drip Edge provides a straightforward, reliable solution for terminating flat roofing assemblies. Its classic cleat, cover, and strip-in flange create a versatile edge metal system suitable for a variety of applications.

With no preset sizes, this profile offers the flexibility to meet your project's specific requirements while remaining a cost-effective option.

Cover Material	Cleat Material	Face Size	ES-1 Certified Pressure
.040" Aluminum	22ga G-90	up to 8"	-220 PSF
24ga Galvalume	22ga G-90	up to 8"	-220 PSF

Benefits & Quality Assurance

- Classic Design
- Strip-In Installation
- Multiple Material & Finish Options
- Quick Ship Status
- Customizable Sizes



Gravel Stop: Functional and Adaptable Roof Termination


The MetalWyze Gravel Stop provides a straightforward and reliable solution for terminating flat roofing assemblies. Its classic cleat, cover, and strip-in flange design create a functional edge metal system suitable for a wide range of applications.

With no preset sizes, this profile offers the flexibility to meet the specific needs of your project while remaining a cost-effective option. Durable and easy to install, it delivers dependable performance without compromise.

Cover Material	Cleat Material	Face Size	ES-1 Certified Pressure
.040" Aluminum	22ga G-90	up to 8"	-180 PSF
24ga Galvalume	22ga G-90	up to 8"	-170 PSF

Benefits & Quality Assurance

- Classic Design
- Strip-In Installation
- Multiple Material & Finish Options
- Quick Ship Status
- Customizable Sizes



Customization is Our Standard

At MetalWyze, custom isn't an exception: it's how we work. From tailored edge metal assemblies to made-to-order coil and flat sheets, our team partners directly with you to support your project requirements without added complexity or extended lead times. The people who help you design it are the same people who build it, ensuring accuracy, consistency, and confidence from start to finish.

Have a project to discuss?

Reach out to the MetalWyze team to talk through specifications, timelines, or technical questions. We're here to support your project from start to finish.

Contact Us

📞 (845) 391-0695

✉ info@metalwyze.com

🌐 www.metalwyze.com

